

DEALING WITH INFECTIOUS DISEASES

QUALITY AREA 2 | Greenbrook Kindergarten version 1.0



AUTHORISATION

This policy was adopted by the approved provider of Greenbrook Kindergarten on 15th September 2021. Amended 24th October 2021

REVIEW DATE: September 2023 / As required

Important note: A pandemic is an epidemic of an infectious disease that has spread across a large region, for instance multiple continents or worldwide, affecting a substantial number of people. ELAA advises that the contents of this policy are relevant to a pandemic event. In considering what actions are required by an approved provider, information and guidance provided by the Australian Health Protection Principal Committee (AHPPC), Victorian Government, the Department of Health (DH) and the Department of Education and Training (DET) should be followed and adhered to.

ELAA acknowledges the contribution of the Department of Health for their review of this policy



PURPOSE

This policy will provide clear guidelines and procedures to follow when:

- a child attending Greenbrook Kindergarten shows symptoms of an infectious disease
- a child at Greenbrook Kindergarten has been diagnosed with an infectious disease
- managing and minimising the spread of infectious diseases, illnesses and infestations (including head lice)
- managing and minimising infections relating to blood-borne viruses
- managing and minimising infections relating to epidemics (*refer to Definitions*) and pandemics (*refer to Definitions*) (e.g. coronavirus (COVID-19)).



POLICY STATEMENT

VALUES

Greenbrook Kindergarten is committed to:

- providing a safe and healthy environment for all children, staff and any other persons attending the service
- responding to the needs of the child or adult who presents with symptoms of an infectious disease or infestation while attending the service
- adhering to evidence-based practice infection prevention and control procedures
- minimising the spread of infectious and vaccine-preventable diseases
- complying with current exclusion schedules and guidelines set by the Department of Health (DH)
- complying with the advice of the Australian Health Protection Principal Committee (AHPPC), Victorian Chief Health Officer and DH



- providing up-to-date information and resources for families and staff regarding protection of all children from infectious diseases and blood-borne viruses, management of infestations and immunisation programs.

Greenbrook Kindertgarten supports the Immunise Australia Program and National Immunisation Program (NIP), which is currently recommended by the National Health and Medical Research Council (NHMRC) and supported by the Commonwealth Government. All early childhood teachers, educators/staff at Greenbrook Kindergarten are committed to preventing the spread of infectious diseases through simple hygiene practices such as hand washing, effective cleaning procedures and assessing acceptable immunisation documentation and complying with recommended exclusion guidelines and timeframes for children, early childhood teachers and educators/staff.

SCOPE

This policy applies to the approved provider, persons with management or control, nominated supervisor, persons in day-to-day charge, early childhood teachers, educators, staff, students, volunteers, parents/guardians, children, and others attending the programs and activities of Greenbrook Kindergarten including during offsite excursions and activities.

RESPONSIBILITIES	Approved provider and persons with management or control	Nominated supervisor and persons in day-to-day charge	Early childhood teacher, educators and all other staff	Parents/guardians	Contractors, volunteers and students
1. Ensuring standard precaution practices (<i>refer to Definitions</i>) are carried out every day to minimise and, where possible, eliminate the risk of transmission of infection	√	√	√		√
2. Ensuring that where there is an occurrence of an infectious disease at the service, reasonable steps are taken to prevent the spread of that infectious disease (<i>Regulation 88(1)</i>)	√	√	√	√	√
3. Ensuring that where there is an occurrence of an infectious disease at the service, a parent/guardian or authorised emergency contact of each child at the service is notified of the occurrence as soon as is practicable (<i>Regulation 88(2)</i>)	√	√	√		
4. Ensuring that information from the DH about the minimum exclusion periods (<i>refer to Definitions</i>) is displayed at the service and is available to all stakeholders	√	√	√		
5. Ensuring that a child is excluded from the service in accordance with the minimum exclusion periods (<i>refer to Definitions</i>) when informed that the child is infected with an infectious disease (<i>refer to Definitions</i>) or has been in contact with a person who is infected with an infectious disease (<i>refer to Definitions</i>) as required under <i>Regulation 111(1)</i> of the <i>Public Health and Wellbeing Regulations 2019</i>	√	√	√	√	√

6. Contacting the Communicable Disease Section, DHHS (<i>refer to Definitions</i>) if there is an outbreak of two or more cases of gastrointestinal illness in a 48-hour period in the same group of children (refer to sources)	√	√			
7. Ensuring obligations under No Jab No Play legislation (<i>Public Health and Wellbeing Act 2008</i>), including to request, assess and manage immunisation documentation are met, and to assist parents/carers and families who may face difficulties in meeting the requirements (<i>refer to Enrolment and Orientation Policy</i>)	√	√			
8. Ensuring when directed by the Chief Health Officer, that a child who is at material risk of contracting a vaccine-preventable disease is excluded until the Chief Health Officer directs that attendance can be resumed (<i>Regulation 111(2)(4) of the Public Health and Wellbeing Regulations 2019</i>)	√	√	√	√	
9. Ensuring that a minimum of one educator with current approved first aid qualifications is in attendance and immediately available at all times the service is in operation (<i>refer to Administration of First Aid Policy</i>).	√	√	√		
10. Notifying DET within 24 hours of a serious incident (<i>refer to Definitions</i>) via the NQAITS	√	√			
11. Conducting a thorough inspection of the service on a regular basis, and consulting with staff to assess any risks by identifying the hazards and potential sources of infection	√	√	√		√
12. Establishing and complying with good hygiene and infection prevention and control procedures (<i>refer to Hygiene Policy</i>) (<i>refer to Attachment 4</i>)	√	√	√	√	√
13. Observing for signs and symptoms of an infectious disease in children, and taking appropriate measures to minimise cross-infection and inform management		√	√	√	√
14. Providing appropriate and current information and resources to all stakeholders regarding the identification and management of infectious diseases, blood-borne viruses and infestations REWORDED	√	√	√		√
15. Keeping informed of current legislation, information, research and evidence-based practice	√	√	√	√	√
16. Complying with the <i>Hygiene Policy</i> of the service and the procedures for infection prevention and control relating to blood-borne viruses (<i>refer to Attachment 4</i>)	√	√	√	√	√
17. Communicating changes to the exclusion table or immunisation laws to all stakeholders in a timely manner	√	√	√		√
18. Complying with the advice of the Australian Health Protection Principal Committee (AHPPC), Victorian Chief Health Officer and DH in an epidemic or pandemic event (<i>refer to Attachment 5</i>).	√	√	√	√	√
19. Complying with the Public Health Order Covid – 19 vaccination requirements (<i>refer to Attachment 7</i>).	√	√	√	√	√
20. Notifying everyone at the service of any outbreak of infectious disease at the service including information about the nature of the illness, incubation and infectious periods, and the	√	√	√		

service's exclusion requirements for the illness, and displaying this information in a prominent position					
21. Advising parents/guardians on enrolment that the minimum exclusion periods will be observed in regard to the outbreak of any infectious diseases or infestations (<i>refer to: www2.health.vic.gov.au/public-health/infectious-diseases/school-exclusion/school-exclusion-table</i>).	√	√	√		
22. Providing information to staff and families about child and adult immunisation recommendations (<i>refer to Attachment 6</i>)	√	√			
23. Advising the parents/guardians of a child who is not fully immunised on enrolment and/or is undertaking the 16 weeks grace period, that they will be required to keep their child at home when a vaccine-preventable disease is diagnosed at the service, and until there are no more occurrences of that disease and the exclusion period has ceased	√	√	√		
24. Ensuring that parents/guardians understand that they must inform the approved provider or nominated supervisor as soon as practicable if the child is infected with an infectious disease or infestation, or has been in contact with a person infected with a condition for which the exclusion of contacts is specified (<i>Regulation 110, Public Health and Wellbeing Regulations 2019</i>)	√	√	√	√	
25. Providing information and resources to parents/guardians to assist in the identification and management of infectious diseases and infestations	√	√	√		
26. Ensuring all families have completed a Consent form to conduct head lice inspections (<i>refer to Attachment 1</i>) on enrolment	√	√	√		
27. Conducting head lice inspections whenever an infestation is suspected, which involves visually checking children's hair and notifying the approved provider and parents/guardians of the child if an infestation of head lice is suspected		√	√		
28. Providing a head lice action form (<i>refer to Attachment 2</i>) to the parents/guardians of a child suspected of having head lice	√	√	√		
29. Providing a head lice notification letter (<i>refer to Attachment 3</i>) to all parents/guardians when an infestation of head lice has been detected at the service	√	√	√		
30. Maintaining confidentiality at all times (<i>refer to Privacy and Confidentiality Policy</i>)	√	√	√	√	√
31. Keeping their child/ren at home if they are unwell or have an excludable infectious disease or infestation (<i>refer to Definitions</i>)				√	
32. Informing service management as soon as practicable if their child has an infectious disease or infestation (<i>refer to Definitions</i>) or has been in contact with a person who has an infectious disease (<i>Regulation 110 of the Public Health and Wellbeing Regulations 2019</i>)				√	
33. Complying with the minimum exclusion periods (<i>refer to Definitions</i>) or as directed by the approved provider or nominated supervisor after the Chief Health Officer directed them to exclude a child enrolled whom the Chief Health Officer has determined to be at material risk of contracting a vaccine-				√	

preventable disease (*Regulation 111(2) of the Public Health and Wellbeing Regulations 2019*)

BOLD tick ✓ indicates legislation requirement



PROCEDURES

- Refer to **Attachment 4**. Infection control relating to blood borne viruses
- Refer to **Attachment 5** Actions for early childhood and care services in an epidemic or pandemic event
- Refer to **Attachment 7**. Covid 19 Vaccination Requirements



BACKGROUND AND LEGISLATION

BACKGROUND

Infectious diseases such as the chickenpox, common cold, measles and mumps, are common in children and adults may also be susceptible.

Children are at a greater risk of exposure to infections in a children's service than at home due to the amount of time spent with a large number of other children.

The DH publishes the Minimum Period of Exclusion from Primary Schools and Children's Services Centres for Infectious Diseases Cases and Contacts, to assist in protecting the public by preventing, or containing, outbreaks of infectious conditions common in schools and children's services and is regulated by the *Public Health and Wellbeing Regulations 2019*.

During an epidemic or pandemic, further instruction and guidance may be issued by the DH and the Australian Health Protection Principal Committee (AHPPC).

An approved provider must take reasonable steps to prevent the spread of infectious diseases at the service, and ensure that the parent/guardian, authorised nominee or emergency contact of each child enrolled at the service is notified of the occurrence of an infectious disease as soon as possible. The service must have policies and procedures in place for dealing with infectious diseases (*Regulation 88 of the Education and Care Services National Regulations 2011*). The service has a duty of care to ensure that everyone attending the service is provided with a high level of protection during all hours that the service is in operation. Protection can include:

- notifying (as soon as practicable) children, families and educators/staff when an excludable illness/disease is detected at the service
- complying with relevant health department exclusion guidelines, advice and information
- sharing DH and other relevant circulars / information with families
- increasing educator/staff awareness of cross-infection through physical and close contact with others.

The Victorian Government offers an immunisation program for children to assist in preventing the spread of infectious diseases. There is also the Immunise Australia Program and National Immunisation Program (NIP), which is currently recommended by the National Health and Medical Research Council (NHMRC) and supported by the Commonwealth Government.

Early childhood education and care services that are regulated under the *Education and Care Services National Law Act 2010* have obligations under No Jab No Play legislation (*Public Health and Wellbeing Act 2008*), including to request, assess and manage immunisation documentation and to assist parents/carers and families who may face difficulties in meeting the requirements (*refer to Enrolment and Orientation Policy*).

LEGISLATION AND STANDARDS

Relevant legislation and standards include but are not limited to:

- Education and Care Services National Law Act 2010
- Education and Care Services National Regulations 2011: Regulation 88
- Family Assistance Legislation Amendment (Jobs for Families Child Care Package) Act 2017 (Cth)
- Health Records Act 2001 (Vic)
- National Quality Standard, Quality Area 2: Children’s Health and Safety
- National Quality Standard, Quality Area 6: Collaborative Partnerships with Families and Communities
- Public Health & Wellbeing Amendment (No Jab No Play) Act 2015 (Vic)
- Occupational Health and Safety Act 2004 (Vic)
- Privacy and Data Protection Act 2014 (Vic)
- Privacy Act 1988 (Cth)
- Public Health and Wellbeing Act 2008 (Vic)

The most current amendments to listed legislation can be found at:

- Victorian Legislation – Victorian Law Today: www.legislation.vic.gov.au
- Commonwealth Legislation – Federal Register of Legislation: www.legislation.gov.au



DEFINITIONS

The terms defined in this section relate specifically to this policy. For regularly used terms e.g. Approved provider, Nominated supervisor, Notifiable complaints, Serious incidents, Duty of care, etc. refer to the Definitions file of the PolicyWorks catalogue.

Airborne diseases: Airborne diseases are illnesses spread by tiny pathogens in the air. These can be bacterial, fungi or viruses, but they are all transmitted through airborne contact. In most cases, an airborne disease is contracted when someone breathes in infected air. Air is most commonly infected through breath, particularly by sneezing, coughing and through phlegm.

Blood-borne virus (BBV): A virus that is spread when blood from an infected person enters another person’s bloodstream and include human immunodeficiency virus (HIV), hepatitis B, and hepatitis C. Where basic hygiene, safety, infection prevention and control and first aid procedures are followed, the risks of contracting a blood-borne virus are negligible.

Communicable Disease Section: Responsibility for communication and advice in relation to infectious diseases on behalf of the Secretary of the Victorian DH.

Epidemic: is an outbreak of a contagious disease that spreads rapidly and extensively, and affects many individuals simultaneously in an area or population.

Exclusion: Inability to attend or participate in the program at the service.

Illness: Any sickness and/or associated symptoms that affect the child’s normal participation in the program at the service.

Infection: The invasion and multiplication of micro-organisms in bodily tissue.

Infestation: The lodgement, development and reproduction of arthropods (such as head lice), either on the surface of the body of humans or animals, or in clothing.

Infectious disease: An infectious disease designated by the Communicable Disease Section (*refer to Definitions*), Department of Health Victoria (DH) as well as those listed in Schedule 7 of the *Public*

Health and Wellbeing Regulations 2019, the Minimum Period of Exclusion from Primary Schools, Education and Care Service Premises and Children’s Centres for Infectious Diseases Cases and Contacts.

Influenza: Influenza is a highly contagious disease, usually prevented by vaccination and treated by managing symptoms. Spread by body fluids from infected people, symptoms include a runny nose and sore throat (as defined by the Australian Government Department of Health. Health.gov.au)

Medication: Any substance, as defined in the *Therapeutic Goods Act 1989* (Cwlth), that is administered for the treatment of an illness or medical condition.

Minimum exclusion period: The minimum period for excluding any person from attending a children’s service to prevent the spread of infectious diseases as specified in Schedule 7: Minimum Period of Exclusion from Primary Schools and Children’s Services for Infectious Diseases Cases and Contacts of the *Public Health and Wellbeing Regulations 2019*. An infringement penalty for failure to exclude a child with, or exposed to, a specified infectious disease applies (applicable to a person in charge). The exclusion period table, published by the DHHS, can be accessed at www2.health.vic.gov.au/public-health/infectious-diseases/school-exclusion/school-exclusion-table.

Novel Coronavirus - Covid – 19: Also known as Sars – CoV – 2 Is an infectious disease caused by a newly discovered coronavirus that has not previously been identified.

Pandemic: is an epidemic (*refer to Definitions*) occurring worldwide, or over a wide geographic area and affecting a large proportion of the population.

Pandemic Disease: An epidemic (affecting many persons at the same time) disease that has spread over a large area, i.e. it’s “prevalent throughout an entire country, continent or the whole world.”

Pediculosis: Infestation of head lice that is transmitted by having head-to-head contact with another person who has head lice. Pediculosis does not contribute to the spread of any infectious diseases, and outbreaks of this condition are common in schools and childcare facilities.

Standard precautions: work practices that achieve a basic level of infection prevention and control. Using standard precautions aims to minimise and, where possible, eliminate the risk of transmission of infection, particularly those caused by blood-borne viruses. Standard precautions include but are not limited to: hand hygiene, cleaning equipment and the environment, respiratory hygiene and cough etiquette and appropriate use of PPE.

SOURCES AND RELATED POLICIES



SOURCES

- Greenbrook Kindergarten’s Emergency Management Plan including pandemic response plans for Influenza and Novel Coronavirus - Covid -19
- Victorian Department of Health & Human Services. *Disease information and advice*. Available at: <https://www2.health.vic.gov.au/public-health/infectious-diseases/disease-information-advice>
- Communicable Disease Section, Victorian Department of Health & Human Services (2019), *A guide to the management and control of gastroenteritis outbreaks in children’s centres*. Victorian Government, Melbourne: <https://www2.health.vic.gov.au/about/publications/researchandreports/A-guide-to-the-management-and-control-of-gastroenteritis-outbreaks-in-childrens-centres>
- Increase in gastroenteritis outbreaks in childcare: <https://www2.health.vic.gov.au/about/news-and-events/healthalerts/gastro-outbreaks-childcare>
-
- National Immunisation Program, Department of Health, Australian Government: <https://www.health.gov.au/initiatives-and-programs/national-immunisation-program>

- Department of Health & Human Services, Victoria (2012) *Head lice management guidelines*: <https://www2.health.vic.gov.au/about/publications/policiesandguidelines/Head-lice-management-guidelines>
- *Immunisation Enrolment Toolkit for early childhood services*: <https://www2.health.vic.gov.au/public-health/immunisation/vaccination-children/no-jab-no-play/immunisation-enrolment-toolkit>
- *Guide to the Education and Care Services National Law and the Education and Care Services National Regulations 2011* (2017), ACECQA: <https://www.acecqa.gov.au/sites/default/files/2018-01/NQF-Resource-02-Guide-to-ECS-Law-Regs.pdf>
- *Guide to the National Quality Standard* (2017), ACECQA: <https://www.acecqa.gov.au/sites/default/files/acecqa/files/National-Quality-Framework-Resources-Kit/NQF-Resource-03-Guide-to-NQS.pdf>
- National Health and Medical Research Council (2013) *Staying Healthy: Preventing infectious diseases in early childhood education and care services* (5th edition): <https://www.nhmrc.gov.au/about-us/publications/staying-healthy-preventing-infectious-diseases-early-childhood-education-and-care-services>
- Information about immunisations, including immunisation schedule, DHHS: www.health.vic.gov.au/immunisation
- WorkSafe, Victoria (2008) *Compliance code: First aid in the workplace*: <https://www.worksafe.vic.gov.au/resources/compliance-code-first-aid-workplace>
- Statements Section for statements on health emergencies, AHPPC. Available at: <https://www.health.gov.au/committees-and-groups/australian-health-protection-principal-committee-ahppc>
-

RELATED POLICIES

- Administration of First Aid
- Administration of Medication
- Child Safe Environment
- Dealing with Medical Conditions
- Enrolment and Orientation
- Hygiene
- Incident, Injury, Trauma and Illness
- Inclusion and Equity
- Occupational Health and Safety
- Privacy and Confidentiality

EVALUATION



In order to assess whether the values and purposes of the policy have been achieved, the approved provider will:

- regularly seek feedback from educators, staff, parents/guardians, children, management and all affected by the policy regarding its effectiveness
- monitor the implementation, compliance, complaints and incidents in relation to this policy
- ensure that all information related to infectious diseases on display and supplied to parents/guardians is current
- keep the policy up to date with current legislation, research, policy and best practice
- revise the policy and procedures as part of the service's policy review cycle, or as required
- notifying all stakeholders affected by this policy at least 14 days before making any significant changes to this policy or its procedures, unless a lesser period is necessary due to risk (*Regulation 172 (2)*).



ATTACHMENTS

- Attachment 1: Consent form to conduct head lice inspections
 - Attachment 2: Head lice action form
 - Attachment 3: Head lice notification letter
 - Attachment 4: Procedures for infection control relating to blood-borne viruses
 - Attachment 5: Actions for early childhood and care services in an epidemic or pandemic event
 - Attachment 6: Child and adult immunisation recommendations
 - Attachment 7: Covid 19 Vaccination Requirements
-
-

ATTACHMENT 1. CONSENT FORM TO CONDUCT HEAD LICE INSPECTIONS

This information is placed in our Handbook and consent is on enrolment form

"[Place on service letterhead]"

Dear parents/guardians,

[Service Name] is aware that head lice infestation can be a sensitive issue and is committed to maintaining children's confidentiality and avoiding stigmatisation at all times. However, management of head lice infestation is most effective when all children and their families actively support our policy and participate in our screening program.

All inspections will be conducted in a culturally appropriate and sensitive manner, and information about why the inspections are conducted and the benefits of preventing infestations will be explained to children prior to conducting the inspections.

Only the Nominated Supervisor or an external person approved by the service, such as a nurse employed by the local council, will be permitted to carry out inspections on children at the service. Where there is concern about a potential infection, a child's hair will be inspected for the presence of head lice or lice eggs.

Where live head lice are found, [Service Name] will notify the parents/guardians and will provide them with relevant information about the treatment of head lice. Other families will be provided with a notice to inform them that head lice have been detected in the group and to encourage them to be vigilant and carry out regular inspections of their own child.

Please note that while head lice do not spread disease, they are included in the *Minimum Period of Exclusion from Primary Schools and Children's Services for Infectious Diseases Cases and Contacts* published by the Department of Health and Human Services (DHHS) which defines the minimum period of exclusion from a children's service for children with infectious diseases. According to this table, where a child has head lice, that child must be excluded until the day after appropriate treatment has commenced.

Child's name: _____ Group: _____

I hereby give my consent for [Service Name], or a person approved by [Service Name], to inspect my child's head when an infestation of head lice is suspected in the service.

Full name of parent/guardian: _____

Signature of parent/guardian: _____ Date: _____

I do not give consent for my child's head to be inspected. I request that staff contact me when an infestation of head lice is suspected at the service, and I agree to come to the service to complete the inspection myself.

Full name of parent/guardian: _____

Signature of parent/guardian: _____ Date: _____

ATTACHMENT 2. HEAD LICE ACTION FORM

"[Place on service letterhead]"

Dear parents/guardians,

As disclosed by you the parent / guardian or by staff (pls circle) head lice or lice eggs have been detected on your child and it is very important for you to treat your child as soon as possible, using safe treatment practices. Please read the attached pamphlet Treating and controlling head lice from the Department of Health (DH). This contains guidelines regarding detecting and treating head lice and lice eggs.

Please note that while head lice do not spread disease, they are included in the Minimum Period of Exclusion from Primary Schools and Children's Services for Infectious Diseases Cases and Contacts published by the DH which defines the minimum period of exclusion from a children's service for children with infectious diseases. According to this table, where a child has head lice, that child must be excluded until the day after appropriate treatment has commenced.

Please keep your child at home until appropriate treatment has commenced and use the form provided below to notify Greenbrook Kindergarten, when your child returns to the service, of the action taken by you to treat the head lice/eggs.

Head lice treatment – action taken

Parent/guardian response form

To [Service Name]

CONFIDENTIAL

Child's name: _____ Group: _____

I understand that my child must not attend the service with untreated head lice or lice eggs.

I have used the following recommended treatment for head lice or lice eggs for my child:

_____ "[write name of treatment used]" .

Treatment commenced on: _____ [write date treatment was first used].

Signature of parent/guardian: _____ Date: _____

ATTACHMENT 3. HEAD LICE NOTIFICATION LETTER

"[Place on service letterhead]"

Dear parents/guardians,

It has come to our attention that head lice or lice eggs have been detected in your child's group at Greenbrook Kindergarten and we seek your co-operation in checking your child's hair regularly throughout this week, [Date].

Head lice are common in children and are transmitted by having head-to-head contact with someone who has head lice, but they do not transmit infectious diseases.

What can you do?

We seek your co-operation in checking your child's hair and, in instances where head lice or lice eggs are found, treating your child's hair.

We also ask that you ensure your child does not attend the service until the day after appropriate treatment has occurred in line with the Department of Health's (DH) minimum period of exclusion required for head lice.

While head lice do not spread disease, they are included in the Department of Health's exclusion table which defines the minimum period of exclusion from a children's service for children with infectious diseases. According to this table, where a child has head lice, that child must be excluded until the day after appropriate treatment has commenced.

We request that you observe these exclusion periods if head lice or lice eggs are detected on your child.

How do I treat my child for head lice?

Please read the attached pamphlet Treating and controlling head lice from the DH. This contains guidelines regarding detecting and treating head lice and lice eggs. Additional information is also available by contacting the service.

Who do I contact if my child has head lice?

If head lice or lice eggs are found in your child's hair, you must inform:

- the service, and use the attached form to advise when treatment has commenced
- parents/guardians and carers of your child's friends so that they can also check these children for head lice or lice eggs and commence treatment if necessary.

When can my child return to the service?

DH regulations require that where a child has head lice, that child must be excluded until the day after appropriate treatment has commenced.

Greenbrook Kindergarten is aware that head lice can be a sensitive issue and is committed to maintaining your confidentiality.

Kind regards,

"[Signature of Nominated Supervisor]"

"[Name of Nominated Supervisor]"

ATTACHMENT 4. PROCEDURES FOR INFECTION PREVENTION AND CONTROL RELATING TO BLOOD-BORNE VIRUSES AND BODY FLUIDS

The use of standard precaution practice (*refer to Definitions*) is the best way to prevent transmission of blood borne viruses and body fluids.

The procedures are based on information available from the Department of Education and Training (DET), the Victorian Government's Better Health Channel and the National Health and Medical Research Council.

Important note on blood spills

A person responding to an incident involving blood at the service must first cover any cuts, sores or abrasions on their own hands and arms with waterproof dressings.

PROVIDING FIRST AID FOR CHILDREN WHO ARE BLEEDING

1. Put on disposable gloves, face mask and protective eyewear if applicable.
2. When cleaning or treating a child's face that has blood on it, ensure you are not at eye level with the child as blood can enter your eyes/mouth if the child cries or coughs. If a child's blood enters your eyes, rinse them while open, gently but thoroughly for at least 30 seconds. If a child's blood enters your mouth, spit it out and then rinse the mouth several times with water.
3. Raise the injured part of the child's body above the level of the heart (if this is possible) unless you suspect a broken bone.
4. Clean the affected area and cover the wound with waterproof dressing.
5. Remove and place gloves in an appropriate disposable plastic bag/zip lock bag/bio hazard container, seal and place it in a rubbish bin inaccessible to children.
6. Wash hands in warm, soapy water and dry (follow the *Handwashing guidelines* in the *Hygiene Policy*).
7. Remove contaminated clothing and store in leak-proof disposable plastic bags. Give these bags to the parent/guardian for washing when the child is collected from the service.

MANAGING EXPOSURES TO BLOOD AND/OR BODY FLUIDS

Exposures include sharps injuries (including needlestick) and splashes into or onto mucous membranes (such as eyes, nose, mouth) or non-intact skin (cuts, sores or abrasions).

- Remove contaminated clothing (if applicable) and thoroughly wash exposed area with soap and water.
- Affected mucous membranes should be flushed with large amounts of water.
- Eyes should be flushed gently (no soap)
- The exposed person must report any occupational exposures immediately.
- Seek medical attention for an assessment of the risk of infection and appropriate treatment

CLEANING AND REMOVAL OF BLOOD SPILLS AND BODY FLUIDS

Equipment (label clearly and keep in an easily accessible location)

- Disposable gloves
- Protective Eye glasses
- Masks
- Waterproof dressings
- Disposable plastic bags/zip lock bags/biohazard container (if available)
- Detergent/bleach
- Disposable towels
- Access to warm water

Procedure

1. Put on disposable gloves, face mask and protective eyewear if applicable
2. Cover the spill with paper towels.
3. Carefully remove the paper towel and contents.
4. Place the paper towels in an appropriate disposable plastic bag/zip lock bag/biohazard container.
5. Clean the area with warm water and detergent/bleach, then rinse and dry.
6. Remove and place gloves in an appropriate disposable plastic bag/zip lock bag/biohazard container, seal and place it in a rubbish bin inaccessible to children.
7. Wash hands in warm, soapy water and dry (follow the Handwashing guidelines in the *Hygiene Policy*).

NEEDLE STICK INJURIES

If you get pricked by a discarded needle and syringe (often referred to as 'needle stick injury') the following steps should be taken:

- Flush the injured area with flowing water.
- Wash the wound well with soap and warm water.
- Dry the wound and apply a waterproof dressing
- Seek medical attention for an assessment of the risk of infection and appropriate treatment.
- If the needle and syringe cannot be retrieved, mark the area so others are not at risk and contact the Disposal Helpline.

SAFE DISPOSAL OF DISCARDED NEEDLES AND SYRINGES

Equipment (label clearly and keep in an easily accessible location)

- Disposable gloves
- Long-handled tongs
- Disposable plastic bags
- 'Sharps' syringe disposal container, or rigid-walled, screw-top, puncture-resistant container available for free from local council, who may also provide free training to staff on the collection of sharps

Procedure

1. Put on disposable gloves.
2. Do not try to re-cap the needle or to break the needle from the syringe.
3. Place the 'sharps' syringe disposal container on the ground next to the needle/syringe and open the lid.
4. Using tongs, pick the syringe up from the middle, keeping the sharp end away from you at all times.
5. Place the syringe, needle point down, in the 'sharps' syringe disposal container and close the lid securely on the container.
6. Repeat steps 3 to 5 to pick up all syringes and/or unattached needles.
7. If appropriate, clean the area with warm water and detergent/bleach, then rinse and dry.
8. Remove and place gloves in a disposable plastic bag, seal and place it in a rubbish bin inaccessible to children.
9. Wash hands in warm, soapy water and dry (follow the Handwashing guidelines in the *Hygiene Policy*).

Under no circumstances should children, work-experience students or volunteers be asked or encouraged to pick up needles/syringes.

If the needle/syringe is not accessible and cannot be collected, mark and supervise the area so that others are not at risk and contact the Syringe Disposal Helpline on 1800 552 355.

Advice on the handling and disposal of needles/syringes can be accessed from:

- the Syringe Disposal Helpline on 1800 552 355 (24 hours a day, 7 days a week) for the location of the nearest needle exchange outlet or public disposal bin
- the environmental officer (health surveyor) at your local municipal/council offices
- local general practitioners
- local hospitals.

Note: 'Sharps' syringe disposal containers and/or needles/syringes must not be put in normal waste disposal bins. To dispose of the container, take it to your local Needle and Syringe Program or council office or contact the Disposal Helpline (1800 552 355) for further advice

ATTACHMENT 5. ACTIONS FOR EARLY CHILDHOOD AND CARE SERVICES IN AN EPIDEMIC OR PANDEMIC EVENT

Early childhood education and care services should consider a variety of strategies to support physical distancing and good hygiene practices to reduce the risk of infection transmission within the practical limitations of an early learning environment.

ACTIONS

The following actions are to be considered, adapted and implemented as necessary according to the education setting and the individual needs of the staff, children and the wider service community:

- Display educational materials, which can be downloaded and printed from the Department of Health's (DH) website
- Comply with National Health and Medical Research Council (NHMRC) guidance, *Staying healthy: Preventing infectious diseases in early childhood education and care services*
- Alert your approved provider about any child or staff absenteeism due to an infectious disease outbreak
- Keep parents and staff informed of the actions you are taking.
- All unwell staff and children must stay home. Perhaps the most important action early childhood services can take to reduce the risk of infection transmission is to ensure that any unwell staff and children remain at home.

All Greenbrook kindergarten children and staff who are unwell **must** remain at home. This includes but is not limited to anyone with the following symptoms:

- A temperature from 37.5c upwards
- coughing
- discoloured mucus discharge
- sore throat
- runny nose
- shortness of breath.
-
- Staff or children most at risk of severe illness should individually assess appropriateness for on-site attendance at this time, with support from their medical practitioner. Parents/carers of children with complex medical needs (including those with compromised immune systems), should seek advice from the child's medical practitioner to support decision-making about whether on-site education and care is suitable, noting that this advice may change depending on the status of the pandemic in Victoria.
- It is important that visitors to early childhood services are limited to those delivering or supporting essential services and operations during a pandemic situation.
- Additional staff, including parent volunteers, should be discouraged from attending the service at this time. Ensure vigilance is maintained through the use of the QR Code Check In / the visitor signing in and out record book including their contact details.
- Parent information sessions and interviews should meet physical distancing requirements of 1.5 metres between adults, or else be replaced with virtual alternatives.

HYGIENE

Everyone can protect themselves and prevent the spread of infection by continuing effective hand hygiene.

- All staff and children should undertake regular hand hygiene, particularly on arrival to the service, before and after eating, after blowing their nose, coughing, sneezing or using the toilet. You are a good role model for the children and their parents/carers, so actively talk about why everyone needs to wash their hands and the importance of everyone doing this.
- Make sure alcohol-based hand sanitiser, is available at the entrance of the facility and throughout.
- Staff members will be required to direct and supervise all hand washing.
- Tissues should be readily accessible with bins provided in each room and in outdoor areas for easy disposal.
- It is recommended that children do not drink directly from drinking fountains at this time. Children should bring their own water bottle for use (and refilling) at the service.

- Ensure the highest hygiene practices amongst food handlers as per NHMRC guidance Staying healthy: Preventing infectious diseases in early childhood education and care services. Sharing of food should be discouraged. Where it occurs for example at end of year gatherings, food should only be handled / served by staff.
- Use of mobile phones by staff during work hours should be discouraged, except for documentation on Storypark. Staff should be reminded to clean their phones regularly.

Staff Additional Hygiene:

- Hands are to be washed / sanitised before entering the kitchen and touching kettle / tea & coffee facilities / fridge, cupboards etc.
- All staff are to be responsible for thoroughly cleaning, drying and putting away their own cups, plates, utensils etc.
- After using the adult toilet please spray toilet and door handle with disinfectant spray before exiting
- If a parent wishes to use the adult toilet, they must alert a staff member (sign to be on toilet door) staff member must use disinfectant spray afterwards
- Practice regular hygiene as per our normal kindergarten procedures and policies.

ARRIVAL AND DEPARTURE

To assist in minimising the spread of infection, procedures to reduce close proximity between attendees at the service will be considered. They may change according to what restrictions are in place at any given time.

- Consider the arrival and departure procedures for children and, where possible, minimise opportunities for parents and carers to gather in groups, especially in foyers and in children's play areas.
- It may be possible, for example, for children to be dropped off and picked up in the service entrance or foyer,
- While staggered start and finish times occur naturally in some early childhood education and care service types, other services will often have one arrival and pick up time. Consider how the arrival and pick up time could be spread out. One example may be to divide the group and allocate times, noting that it is not expected that session times are extended to accommodate additional arrival and departure procedures.
- Greeting parents and children at the front door in the morning and during pick up times will allow for one-on-one communication with families while practising physical distancing and providing opportunities to consider whether children are showing any signs of being unwell.

The number of people entering the service will be dictated by the restrictions in place and the number of people allowed per square metre on the premises.

When directed to, children's temperatures will be checked upon arrival. If temperature reading is 37.5 or above, the child will be sent home. If the parent or guardian wishes for the temperature to be rechecked, it may be done again after a 15minute interval. Parents or guardians must wait outside with the child and re-enter after the 15minute interval. If the temperature reading is under 37.5 the child may stay, but if it remains at 37.5 or above they must go home.

When circumstances / current restrictions allow for families to enter the kindergarten:

- All adults and school aged children must adhere to social distancing. Where members of the same family living together enter, they must stay together, and social distancing is not required. For example, a parent and older sibling drop off the kinder child; they can stay in closer proximity to each other.

- School aged children and/or younger siblings must always be with their parent/family and cannot interact or play in or with any toys, equipment or play spaces.
- There will be no entry into the kindergarten room by family members. Entry will be permitted into the bathroom area only. The number of people allowed to enter the bathroom / bag area will be determined by the restrictions in place / and the number of people allowed per square meter. A staff member will be located at the door to let families through. This is applicable on both arrival and dismissal.

When circumstances / current restrictions do not allow for families to enter the kindergarten:

Staff will greet parents and children at the front gate at the beginning of the session and during pick up times. This will allow for one-on-one communication with families while practising physical distancing and provide opportunities to consider whether children are showing any signs of being unwell.

- Sign in / sign out procedures will be done by a staff member
- Children's visual attendance Bee activity will be relocated outdoors

Temperature Checks and Face Masks

- Depending on the current restrictions / recommendations in place, staff may be wearing masks and / or face shields.
- Depending on the current restrictions / recommendations in place, staff may be temperature checking children upon arrival.
- When conducting temperature checks, staff will be wearing gloves and masks.
- Anyone with a temperature of 37.5 or above will be sent home.

If the parent or guardian wishes for the temperature to be rechecked, it may be done again after a 15minute interval. Parents or guardians must wait outside with the child and re-enter after the 15minute interval. If the temperature reading is under 37.5 the child may stay, but if it remains at 37.5 or above they must go home.

CONSIDERATIONS FOR TEACHING AND LEARNING ENVIRONMENTS

Maintaining a physical distance of 1.5 metres will not be practical in early childhood services. Physical distancing is most important between adults.

Where multiple staff are in a room, remind staff to maintain physical distancing from each other as much as practical.

Programs will as much as is possible and practical, seek to reduce the numbers of children spending time together in close contact. This includes reducing group gatherings and having only a few children at any time in a play space as well as working with children to try to social distance.

When 4m2 rules are in place, we will aim for 19 children and 5 staff max to be in the indoor space at any time

When not raining, programs will be mostly, if not entirely, conducted outdoors. Research often suggests that children can be more resilient to viruses and germs when outdoor play is encouraged

Small group play, staggered mealtimes and indoor/outdoor play opportunities will be considered

whenever possible.

Windows should be open during the day to promote air flow where possible.

As much as possible, we ask that heating is not used indoors and that doors and windows remain open to allow for air flow throughout the room.

Consideration will be given to the setup of the room and the placement of the activities and the number of whole group activities will be limited.

Rather than having group times where everyone is sitting on the mat, use of informal opportunities to engage with the children/read books/do storytelling with small groups of children at a time will be considered.

Excursions should not be undertaken other than to local parks or community walks.

Maintaining physical distance requirements between staff and children is not practical in early childhood services. In the case of coronavirus (COVID-19) physical distancing is most important between adults.

Reducing mixing between different age or room groups is recommended as a precautionary measure to minimise risk of spread of transmission and aid containment.

- Consider small group play, staggered mealtimes and indoor/outdoor play opportunities whenever possible.
- Windows should be open during the day to promote air flow where possible.
- Consider the setup of the room and the placement of the activities and limit the number of whole group activities.
- Rather than having group times where everyone is sitting on the mat, consider using informal opportunities to engage with the children/read books/do storytelling with small groups of children at a time.
- For younger children, particularly consider the rotation of toys more often and increase the frequency of cleaning toys. Sharing of toys that have been placed in mouths should be monitored and avoided.
- Wherever possible and where you have enough staffing for adequate supervision, consider operating an indoor/outdoor program.
- A greater range of activities will encourage children and staff to spread out more broadly.
- Mixing of staff and children between rooms should be minimised where possible. It is acknowledged that staff may need to move between rooms to support breaks and, in these situations, staff should be reminded of the importance of hand hygiene.
- Where multiple staff are in a room, remind staff to maintain physical distancing from each other as much as practical.

CONSIDERATIONS FOR OFFICES AND STAFF FACILITIES

- Close proximity between staff should be avoided, where possible, and especially in offices and staff rooms.
- Workstations should be spaced out as much as possible, and the number of staff in offices limited. Where possible, staff should use separate offices.
- Remind staff to maintain physical distancing from each other as much as possible in the reception, staff room and offices.

Remind staff to maintain physical distancing from each other as much as possible in the kitchen and offices.

1 x staff member at a time in the staff offices

1.

1 x staff member at a time in the kitchen

CLEANING AND FACILITIES MANAGEMENT

- During a pandemic there will be increased cleaning and disinfecting procedures in place
- Environmental cleaning, coupled with regular hand hygiene, remains important to reduce the risk of infection transmission.
- Services and cleaning contractors should maintain full adherence to the NHMRC childcare cleaning guidelines, in addition:
 - clean and disinfect high-touch surfaces at least twice daily (e.g. play gyms, tables, hard-backed chairs, doorknobs, light switches, phones, remotes, handles, desks, toilets, sinks, kitchenware).
 - wash and launder play items and toys (avoid using plush toys that are shared among children), as appropriate, in accordance with the manufacturer's instructions. If possible, launder items using the warmest appropriate water setting for the items and dry items completely.
 - **Note:** In an epidemic/pandemic disinfecting and cleaning of toys and equipment should be done after every use before another child uses the toy/item
- Hand hygiene before and after use of shared equipment is recommended (for example, prior to a new activity).
- Excursions should not be undertaken other than to local parks.
- Couch to be covered with sheets
- Cleaning is to be done with a cloth and our regular cleaning products. Cloths must be washed in hot soapy water between use
- Disinfecting is to be done with disinfectant wipes or paper towel and a bleach solution diluted or a commercial grade disinfectant spray. Paper towels and disinfectant wipes are only to be used once and then be disposed of.
- Pls note – cleaning needs to be done before disinfecting!
- Cleaning / disinfecting must be progressive throughout the day. It is to be carried out in the morning before children arrive, throughout the day and after the session has finished
- Cleaning / disinfecting will be a part of every staff members non - contact jobs required to be done

PROVISION OF ROUTINE CARE AND FIRST AID

Physical distancing is not practical when providing direct care. In this situation, standard precautions, including hand hygiene, are important for infection prevention and control.

- Standard precautions (*refer to Definitions*) are advised when coming in to contact with someone for the purpose of providing routine care, assistance or first aid. Also see NHMRC guidance Staying healthy: Preventing infectious diseases in early childhood education and care services.
- Always wash hands with soap and water or use a hand sanitiser before and after performing routine care or first aid.
- Additional personal protective equipment (PPE), for example face masks, is not required (unless specified otherwise from the Department of Health) to provide routine care or first aid (unless coming into contact with blood or body fluids) for children who are well.

Infection control / hygiene procedures to follow when providing first aid treatment to / changing the nappy or pull up of a child during a pandemic:

Under our pandemic plan, children who are displaying symptoms of being unwell will be isolated from other children in an appropriate space in our playroom or outdoors

First Aid Equipment

- First aid supplies
- Nappy changing supplies
- Disposable gloves
- Disposable towels
- Detergent
- Access to warm water
- Adult Face Masks
- Adult eye goggles
- Adult disposable aprons

Procedures

Put on the following personal protective equipment as deemed necessary to the first aid procedure you're applying / toileting needs your assisting with (use common sense)

- Put on disposable gloves.
- Put on a face mask
- Put on eye goggles
- Put on disposable apron

- Attend to the child's first aid needs / toileting needs at the safest distance possible.
- After attending to the child's first aid needs, remove and place personal protective equipment in appropriate disposable plastic bag/zip lock bag/bio hazard container, seal and place it in a rubbish bin inaccessible to children.
- Wash hands in warm, soapy water and dry (follow the *Handwashing guidelines* in the *Hygiene Policy*).
- Remove child's contaminated clothing (if applicable) and store in leak-proof disposable plastic bags. Give these bags to the parent/guardian for washing when the child is collected from the service. Store in biohazard container in the foyer cupboard. Not with the child's bag.

MANAGEMENT OF AN UNWELL CHILD OR STAFF MEMBER

It is important that any staff member or child who becomes unwell while at an early childhood service returns home. Sensible steps services can take while a child awaits collection by a parent or carer as a precaution include the following.

- Staff or children should be isolated in an appropriate space with suitable supervision and collected by a parent/carer as soon as possible.
- Where staff or children are experiencing compatible symptoms important actions to take include hand hygiene, physical distance and where possible putting a face mask on the person who is unwell. Staff caring for or supervising an unwell child should also wear a face mask.
- Face masks should not be used in situations where an individual is unable to safely or practically tolerate a mask (e.g. a child with complex medical needs, including existing respiratory needs, and younger children).
- Urgent medical attention should be sought where indicated.
- Health care plans, where relevant, should be updated to provide additional advice on monitoring and identification of the unwell child in the context of an epidemic or pandemic.

If a staff member is unsure whether a child is unwell, it is advisable in the first instance to contact the parent/carer to discuss any concerns about the health status of the child and, taking a precautionary approach, request the parent/carer to collect their child if concerns remain. A trained staff member could take the temperature of the child, where appropriate, to support decision making. Gloves should be worn for the purpose of taking a temperature.

- Staff or children experiencing compatible symptoms with the infection should be encouraged to seek the advice of a healthcare professional who can advise on next steps. A medical certificate is not required to return to an early childhood setting after a period of illness, however staff and children should not return until symptoms resolve.
- Follow cleaning guidance according to the situation of the case. If a child spreads droplets (for example by sneezing, coughing or vomiting), clean surfaces immediately with disinfectant wipes while wearing gloves.

SOURCE

Health and safety advice for early childhood education and care services in the context of coronavirus (COVID-19), Department of Education and Training and DH.

ATTACHMENT 6. CHILD AND ADULT IMMUNISATION RECOMMENDATION

Immunisations are an effective means of reducing the risk of vaccine preventable diseases. Early childhood education and care services which are regulated under the *Education and Care Services National Law Act 2010* and *Education and Care Services National Regulations 2011* have legislative responsibilities under the *Public Health and Wellbeing Act 2008* to only offer a confirmed place in their programs to children with an Australian Immunisation Register (AIR) Immunisation History Statement (*refer to Definitions*). To meet the Child Care Subsidy immunisation requirements, children must be immunised according to the National Immunisation Program Schedule (*refer to Sources*) set out by the Australian Government Department of Health.

Routine childhood immunisations help to protect children against:

- diphtheria
- tetanus
- whooping cough (pertussis)
- polio
- pneumococcal disease
- meningococcal ACWY disease
- hepatitis B
- Aboriginal and Torres Strait Islander infants are also protected against meningococcal B disease.
- Haemophilus influenzae type b (Hib)
- rotavirus
- chickenpox (varicella)
- measles
- mumps
- rubella (German measles)
- influenza

For more information visit: <https://www2.health.vic.gov.au/public-health/immunisation>

People who work with children are at an increased risk of catching and passing on infectious diseases. Infected staff, especially people working in early childhood education and care, may transmit infections to susceptible people. This has potential for serious health outcomes. Many infectious diseases are highly infectious several days before symptoms appear. Vaccination can protect the staff member who is at risk of acquiring the disease, and also reduce the risk of disease transmission to people who the worker is in contact with.

These infections may include:

- influenza
- rubella
- measles
- mumps
- varicella
- pertussis

All people who work with children are recommended to receive vaccines:

- influenza
- measles, mumps, rubella (MMR)
- pertussis (dTpa)
- varicella

In addition to the vaccines for all people who work with children, hepatitis A vaccine is recommended for staff working in early childhood education and care. Additional vaccinations are recommended for special categories of educators and other staff:

- hepatitis B for staff who care for children with intellectual disabilities
- Japanese encephalitis for those who work in the outer Torres Strait islands for 1 month or more during the wet season.

For more information visit: <https://immunisationhandbook.health.gov.au/vaccination-for-special-risk-groups/vaccination-for-people-at-occupational-risk>

Under the Occupational Health and Safety Act 2004 employers must provide a working environment that is safe and without risks to health. Further, employers are required to take steps to eliminate risks so far as is reasonably practicable. If it is not reasonably practicable to eliminate these, they are required to reduce those risks so far as is reasonably practicable.

ATTACHMENT 7. COVID-19 VACCINATION REQUIREMENTS

ELAA has made every effort to ensure the information in this template is accurate and current at date of publication. The information contained within this template may change to keep in line with the Public Health Orders. It is the responsibility of the approved provider to ensure the currency and accuracy of the information contained in this attachment.

COVID-19 mandatory vaccination directions

COVID-19 Mandatory Vaccination (Workers) Directions given by the Acting Chief Health Officer under the *Public Health and Wellbeing Act 2008 (Vic) 200(1)(d)* obliges employers to ensure the vaccination of their staff to limit the spread of COVID-19 within the service setting, this includes:

- onsite early childhood education and care services or children's services provided under the Education and Care Services National Law, the Education and Care Services National Regulations, and the Children's Services Act 1996 (Vic).

Educational staff

Under the Chief Health Officer direction, educational staff includes:

- any person employed to work in an education facility (including teachers, early childhood educators and educational support staff)
- a person contracted to work at an education facility and who will or may be in close proximity to children, students or staff
- DET staff who attend an education facility
- staff of any other entity who attends an education facility
- students on placements.

Contractors

Contractors are covered by the Directions if they will have contact with children or staff. These may include:

- IT Personnel
- Bookkeepers
- Gardeners
- Cleaners employed to work at the service
- Breakfast Club suppliers.

Authorised Workers

Contractors that are considered Authorised Workers must be vaccinated or have a valid medical exemption; this can include but is not limited to:

- Repairs and maintenance workers
- Contract cleaners
- Delivery drivers.

Under the Public Health Order, the approved provider can:

- contact the contractor's employer (e.g., the cleaning company) or contractor directly for proof of vaccination
- advise that it is a requirement to comply with the Public Health Order in relation to who may attend the ECEC service.

Volunteers and parents attending the service

This includes:

- Committees of Management (CoM) (can continue to work remotely if unvaccinated)
- Parent Advisory Groups (PAG) (can continue to work remotely if unvaccinated)
- Parent helpers and volunteers.

Unvaccinated CoM member (without a valid medical exemption) cannot:

- Attend the ECEC premises
- Attend an in-person Committee meeting with the Director or a member of staff present
- Attend an in-person AGM or Special General Meeting

Unvaccinated parent helpers cannot continue to volunteer if their work involves in person contact with children or staff, or attending the ECEC premises.

Educational staff, Contractors and Volunteers and parents attending the service must have had:

- their first vaccination by 25 October 2021; and
- their second vaccination by 29 November 2021

Medical exemptions

Medically exempt staff must provide a medical contraindication certificate from their medical practitioner which outlines one of the following contraindications to the administration of a COVID-19 vaccine:

- a. anaphylaxis after a previous dose;
- b. anaphylaxis to any component of the vaccine, including polysorbate or polyethylene glycol;
- c. in relation to AstraZeneca:
 - I. history of capillary leak syndrome; or
 - II. thrombosis with thrombocytopenia occurring after a previous dose;
- d. in relation to Comirnaty or Spikevax:
 - I. myocarditis or pericarditis attributed to a previous dose of either Comirnaty or Spikevax; or
- e. The occurrence of any other serious adverse event that has been attributed to a previous dose of a COVID-19 vaccine by an experienced immunisation provider or medical specialist (and not attributed to any another identifiable cause); AND has been reported to State adverse event programs and/or the Therapeutic Goods Administration.

Additional medical exemption: A person who has been diagnosed with COVID-19 can have a medical certificate from their treating medical practitioner stating that they cannot be vaccinated for up to six months

Collection of vaccination records

By 18 October 2021, approved providers need to have collected the following information from all current and potential staff, contractors and volunteers attending the service:

- whether staff have received both doses of a COVID-19 vaccination; or
- whether they have received one dose of a COVID-19 vaccine and the date they have booked in to receive their second dose (which needs to be before 29 November 2021); or
- whether they have made a booking to receive their first COVID-19 vaccination, noting that this must be on or before 25 October 2021; or
- whether they cannot receive a COVID-19 vaccination because an exemption applies to them, and they have evidence from an approved medical practitioner certifying an exemption applies to them.

If staff have not provided the above information by 18 October 2021, they will not be permitted at the service, and will need to be treated as though they are unvaccinated.

Additionally, if staff have not received their first dose by 18 October 2021 but have made a booking to receive their first dose by 25 October 2021, they will be permitted on site. If the person has not received their first dose by 25 October 2021, they will not be permitted at the service after that date.

Vaccination records

A vaccination record is information about a person's vaccination status made under, or in accordance with, the [Australian Immunisation Register Act 2015 \(Cth\)](#).

- Fully vaccinated staff vaccination record:

- A certificate of immunisation. This is a COVID-19 Medicare Digital Certificate (printed) as provided by Medicare, OR
- An immunisation history statement obtained from the Australian Immunisation Register as provided by Medicare (also available for partially vaccinated workers).
- Partially vaccinated or unvaccinated staff vaccination record:
 - Booking information that demonstrates that the staff member will:
 - receive, by the first dose deadline (25 October 2021), a dose of a COVID--19 vaccine that will cause the staff to become partially vaccinated, OR
 - receive, by the second dose deadline (29 November 2021), a dose of a COVID-19 vaccine that will cause the staff to become fully vaccinated.
- Medically exempt persons record:
 - A medical contraindication certificate/letter as certification from a medical practitioner that the person is unable to receive a dose, or a further dose, of a COVID-19 vaccine

Sighting the documentation alone (i.e. on a mobile phone) is insufficient

Storage of vaccination records

- It is recommended that vaccination records to be kept on the premises either in hardcopy or electronic format in secure location with restricted access
- Vaccination records are to be stored in accordance with the *Privacy and Confidentiality Policy* and kept on each staff record:
 - Disclosure of a staff vaccination status without consent is permitted if the collection of this information is required or authorised by an Australian law.
 - Prior consent from staff is not require if collecting and storing vaccination information for the purposes of complying with the Directions under the *Public Health and Wellbeing Act 2008 (Vic)*
 - Private sector organisations who have lawfully collected vaccination information can access the employee records exemption in the *Privacy Act 1988 (Cth)*
 - The Australian Privacy Principles under the *Privacy Act 1988 (Cth)* will not apply when information is collected and held in an employee record and directly related to the employment relationship
- Only nominated person/s appointed by the approved provider/Committee of Management/employer (i.e., Human Resources, nominated supervisor, director) can be permitted access to confidential vaccination records.

Disclosures

- Approved providers have disclosure obligations to Authorised Officers for vaccination records
- Authorised Officers are appointed by the Victorian Chief Health Officer and may exercise requirements under the Public Health Order
- An Authorised Officer must produce their identity card for inspection unless it is impractical to do so - *section 166(1) of the Public Health and Wellbeing Act 2008 (Vic)*
- WorkSafe inspectors can be appointed as Authorised Officers to enforce workplace compliance with Victorian Chief Health Officer (CHO) Directions.
- An Authorised Officer may request staff members to provide their worker vaccination information at the premises
- If an Authorised Officer makes a request for vaccination information, staff must comply with the request

Note: In this instance an Authorised Officers under the Public Health and Wellbeing Act 2008 (Vic) are not the same as Authorised Officer from QARD/DET. Authorised Officers can be from WorkSafe who will check a service's vaccination records.